



Phillip koether <phillipjkoether@gmail.com>

Re: Meeting Link: Accessible Diagnostics

imaobong umah <imaumah@yahoo.com>

Sun, Mar 23, 2025 at 7:45 AM

To: Uwem Ekpo <ufekpo@hotmail.com>, Akinola Oluwole <aoluwole@sightsavers.org>, Mogaji Mogaji Hammed <mogajihammed@gmail.com>, "bukynafaso@gmail.com" <bukynafaso@gmail.com>, "yetislamed@gmail.com"

<yetislamed@gmail.com>, "McCarthy,William" <wmccarthy@mdanderson.org>

Cc: "caroline.j.crain@uth.tmc.edu" <caroline.j.crain@uth.tmc.edu>, "simon.L.birk@uth.tmc.edu" <simon.l.birk@uth.tmc.edu>,

"phillipjkoether@gmail.com" <phillipjkoether@gmail.com>, Rakesh Kathiresan <rakesh.kathiresan@uth.tmc.edu>,

"jbeaubrun22@gmail.com" <jbeaubrun22@gmail.com>, "Cristina.e.salash@gmail.com" <crisrina.e.salash@gmail.com>,

Maya Grayck <maya.grayck@gmail.com>, "jacob.a.bartz@uth.tmc.edu" <jacob.a.bartz@uth.tmc.edu>, "Shah,Nehali"

<nbshah@mdanderson.org>, "jmax.vs@gmail.com" <jmax.vs@gmail.com>, "thomascopeland99@gmail.com"

<thomascopeland99@gmail.com>, "Sakahara, Tiffany" <tiffiny.sakahara@uth.tmc.edu>

William good afternoon.

Your mail was well received and I have gone through your protocol.

It will be of interest to be part of the Pilot survey and ascertain the efficiency of the Foldscope microscope .The National SCH eradication program will really welcome the machine (if found to be of standard as per our conventional light microscope) considering its portability , cost - effectiveness and requiring low-skilled manpower to operate.

Until the, continue to carry me along .

My regards.

Imaobong O. Umah
DD/Program manager
National SCH/STH Eradication Program
FMOH&SW

[Quoted text hidden]